

Forage Suitability Groups (MN)

Winona County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
11B: Sogn	95	S	22
11D: Sogn, rocky	95	S	19
19: Chaseburg, occasionally flooded	95	S	06
Newalbin	2	---	---
24: Kasson	95	S	06
Tripoli	2	---	---
25: Becker, rarely flooded	95	S	06
79B: Billett	95	S	08
81B: Boone	95	S	22
81C: Boone	95	S	08
95C: Dunbarton, rocky	95	S	19
99B: Racine	95	S	06
Tripoli	2	---	---
99C: Racine	95	S	06
103A: Seaton	95	S	06
103B: Seaton	95	S	06

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
103C: Seaton	95	S	06
103D: Seaton	95	S	23
173F: Frontenac	95	S	24
174D: Gale	95	S	23
176: Garwin	95	S	01
194: Huntsville, occasionally flooded	95	S	02
Otter	2	---	---
198C: Rollingstone	95	S	06
198D: Rollingstone	95	S	23
215B: Southridge	95	S	06
215C: Southridge	95	S	06
215D: Southridge	95	S	23
262B: Medary	95	S	06
Poorly drained clayey soils	2	---	---
271: Minneiska, channeled, occasionally flooded	95	S	15

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
271: Poorly drained sandy alluvial soils	2	---	---
283B: Plainfield	95	S	22
283C: Plainfield	95	S	22
283D: Plainfield	95	S	18
283F: Plainfield	95	S	24
285A: Port Byron	95	S	02
Garwin	2	---	---
285B: Port Byron	95	S	02
Garwin	2	---	---
285C: Port Byron	95	S	02
299B: Rockton	95	S	04
Poorly drained soils	2	---	---
301A: Lindstrom	95	S	02
301C: Lindstrom	95	S	02
301D: Lindstrom	95	S	23
322C2: Timula, eroded	95	S	02

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
322D2: Timula, eroded	95	S	23
Newalbin	2	---	---
322E2: Timula, eroded	95	S	24
Newalbin	2	---	---
322F: Timula	95	S	24
Newalbin	2	---	---
331: Tripoli	95	S	01
369B: Waubeeek	95	S	06
369C: Waubeeek	95	S	06
388C: Seaton, valleys	95	S	02
388D: Seaton, valleys	95	S	23
388E: Seaton, valleys	95	S	17
401B: Mt. Carroll	95	S	06
401C: Mt. Carroll	95	S	06
401D: Mt. Carroll	95	S	23
455A: Festina	95	S	06

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
455B: Festina	95	S	06
Garwin	2	---	---
457E: Lacrescent	95	S	19
457G: Lacrescent, rocky	95	S	24
468: Otter, occasionally flooded	95	S	01
474B: Haverhill	95	S	13
476B: Frankville	95	S	06
476C: Frankville	95	S	06
476D: Frankville	95	S	23
477: Littleton	95	S	02
Garwin	2	---	---
483: Waukee, bedrock substratum	95	S	02
484D: Eyota	95	S	23
488G: Brodale, rocky	95	S	24
492B: Nasset	95	S	06

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
492C: Nasset	95	S	06
493B: Oronoco	95	S	06
501B: NewGlarus	95	S	06
501C: NewGlarus	95	S	06
501D: NewGlarus	95	S	23
501E: NewGlarus, rocky	95	S	19
522: Boots, frequently flooded, ponded	95	S	14
576: Newalbin, occasionally flooded	95	S	05
577: Newalbin, channeled, frequently flooded	95	S	05
578: Newalbin, very wet, frequently flooded, ponded	95	S	13
580B: Blackhammer	70	S	06
Southridge	15	S	06
Very poorly drained soils	2	---	---
580C: Blackhammer	70	S	06
Southridge	15	S	06

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
580D:			
Blackhammer	70	S	23
Southridge	15	S	23
584F:			
Dorerton	45	S	24
Lamoille	45	S	24
586C:			
Nodine	60	S	06
Rollingstone	25	S	06
586D:			
Nodine	60	S	23
Rollingstone	25	S	23
587B:			
Palsgrove	95	S	06
587C:			
Palsgrove	95	S	06
587D:			
Palsgrove	95	S	23
592E:			
Lamoille	60	S	17
Elbaville	25	S	17
598B:			
Beavercreek, stony, frequently flooded	95	S	15
Poorly and very poorly drained soils	2	---	---
599E:			
Norden	95	S	17

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
599F: Norden	95	S	24
604: Huntsville, channeled, occasionally flooded	60	S	02
Beavercreek, channeled, frequently flooded	25	S	02
Newalbin	5	---	---
606: Shiloh, frequently flooded, ponded	95	S	16
815F: Elbaville	60	S	24
Seaton	30	S	24
826B: Gale	50	S	06
Blackhammer	25	S	06
826C: Gale	50	S	06
Blackhammer	25	S	06
829C: Seaton	65	S	06
Gale	30	S	06
Poorly drained soils	2	---	---
830D: Eleva	45	S	19
Seaton	45	S	19
831F: Spinks, rocky	45	S	19

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
831F:			
Boone, rocky	15	S	19
Sogn, rocky	15	S	19
832F:			
Lacrescent	65	S	24
Rock outcrop	25	S	24
832G:			
Lacrescent	75	S	24
Rock outcrop	15	S	24
839:			
Urban land, occasionally flooded	60	---	---
Minneopa, occasionally flooded	35	S	15
840:			
Urban land	60	---	---
Finchford	30	S	15
898F:			
Bellechester, rocky	60	S	24
Brodale, rocky	30	S	24
1002:			
Fluvaquents, channeled, frequently flooded	95	S	16
1010:			
Riverwash, frequently flooded	100	S	16
1013:			
Pits, quarries	100	S	24
1015:			
Psammments, fill	95	S	22

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1016: Udorthents, loamy	95	S	10
1029: Pits, gravel	95	S	24
1822B: Abscota, variant, occasionally flooded	95	S	08
Poorly drained soils	2	---	---
1830: Eitzen, occasionally flooded	95	S	06
1857: Eitzen, channeled, occasionally flooded	95	S	06
1860: Comfrey, channeled, frequently flooded	95	S	16
1861: Chaseburg, channeled, frequently flooded	95	S	06
1893B: Beavercreek, variant, occasionally flooded	95	S	06
1936: Hoopeston, bedrock substratum	95	S	03
1937: Lawler, bedrock substratum	95	S	02
Marshan	2	---	---
1951A: Flagler, bedrock substratum	95	S	02

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1951B: Flagler, bedrock substratum	95	S	22
1952B: Keltner	95	S	02
Haverhill	2	---	---
1952C: Keltner	95	S	02
Haverhill	2	---	---
1953: Marshan, loamy substratum	95	S	01
1954B: Spinks, bedrock substratum	95	S	22
Poorly drained soils	2	---	---
1954C: Spinks, bedrock substratum	95	S	22
1955A: Waukee, bedrock substratum	95	S	02
1955B: Waukee, bedrock substratum	95	S	02
1960B: Haverhill, variant	95	S	03
1990: Otter, very wet, frequently flooded, ponded	95	S	13
M-W: Water, miscellaneous	100	---	---

Forage Suitability Groups (MN)

Winona County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
-----------------------------	---------------------	--------------------------	---------------------------------------

W:

Water

100
